

**BIHAR AGRICULTURAL UNIVERSITY**

**SABOUR-813210, (BHAGALPUR), BIHAR**

**SHORT TENDER NOTICE NO. 23**

Sealed quotations/ tenders are invited through registered/speed post/courier services from the registered Reputed / Registered Suppliers / Dealers / Firms / Company / Enterprises/ manufacturers for supply, installation, commissioning, testing, demonstration and training of **“Laser Projector with long throw Lens, Microphone & Audio Mixer”** for different colleges of BAU Sabour. Sealed envelope containing full information along with supporting documents, must reach in the office of the undersigned on or before **23/03/2017 upto 3.00 P.M.** and the same will be opened on the same day **at 4.00 P.M.** Details are available on [www.bausabour.ac.in](http://www.bausabour.ac.in).

**O/I Central Store (H.Q.)**

# **BIHAR AGRICULTURAL UNIVERSITY**

**SABOUR, BHAGALPUR – 813210 (BIHAR)**

*www.bausabour.ac.in*



## **TENDER DOCUMENT**

**FOR**

**“Laser Projector with long throw Lens, Microphone & Audio Mixer”**

**O.O. No.23 CS (HQ). /BAU, Sabour**

**BIHAR AGRICULTURAL UNIVERSITY**  
**SABOUR (BHAGALPUR)**  
PIN: 813210(BIHAR)  
www.bausabour.ac.in

---

O.O. No. 23 CS (HQ). /BAU, Sabour

Dated: 11/03/2017

**NOTICE INVITING TENDER/QUOTATION**

Sealed tenders/quotations are invited in 2- Bid System (Technical Bid & Financial Bid) from Manufacturer/Authorized Distributors or Dealers for **supply, installation, commissioning, testing, demonstration and training of Laser Projector with long throw Lens, Microphone & Audio Mixer** at main auditorium of BAC, Sabour.

The bidders are requested to read the tender document carefully and ensure compliance with all specifications/instructions herein. Non-compliance with specifications/instructions in this document may disqualify the bidders from the tender exercise. BAU, Sabour reserves the right to select the item (in single or multiple units) or to reject any quotation wholly or partly without assigning any reason. Incomplete tenders, amendments and additions to tender after opening or late tenders are liable to be ignored and rejected.

**Terms and Conditions:**

1. The technical and financial bids should be quoted separately and put in different sealed envelopes marked "Technical bid" or "Financial bid" as applicable. These separate bids envelopes are to be put in an outer envelope which should also be sealed.
2. For the major item (ie. Projector & Lens) the bidder must submit the OEM or their authorized distributor Certificate on their letterhead in the name of tenderer duly mentioned tender reference no. along with the technical bid, if not found with technical bid the tender will be summarily rejected.
3. The Vendors must be executed same nature of work in the last 3 years. The details of such institutions and the cost with name of equipment may also be supplied with the bids.
4. The technical and financial bids should be submitted in original. The financial bid should include the cost of main equipment/item and its accessories. If there is any separate cost for installation etc. that should be quoted separately.
5. Each individual sealed envelope as well as the outer envelope should be marked with the following reference on the top left hand corner: O.O. No. 23 CS (HQ). /BAU, Sabour.
6. The printed literature and catalogue/brochure giving full technical details should be included with

the technical bid to verify the specifications quoted in the tender. The bidders should submit copies of suitable documents in support of their reputation, credential and past performance.

7. The rates should be quoted in figures (typed or printed) and cutting should be avoided. The final amount should be in figures as well as in words. If there are cuttings, they should be duly initialed, failing which the bids reliable to be rejected.
8. Any bids received after 3:00 P.M. on 23th March 2017 shall not be considered. Offers received within the stipulated period only are considered. University shall not be responsible for any postal delay. All tender documents should have to be sent through courier, speed post or registered post only. The postal address for submitting the tenders is:

**Officer-in-charge  
Central Store,  
Bihar Agricultural University  
Sabour, Bhagalpur (Bihar), Pin-813210**

9. The Technical Bids will be opened on 23th March 2017 at 04:00 P.M. The date & time for opening of Financial Bids will be informed later on to the technically qualified bidders. In case the date mentioned above is declared Government Holiday, the date shall automatically be shifted to next working day.

10. While sending rates, the firm shall give an undertaking to the effect that “the terms/conditions mentioned in the enquiry letter/Tender Notice against which the rates are being given are acceptable to the firm.” In case the firms do not give this undertaking, their rates will not be considered.

11. The quantity shown against the item is approximate and may vary as per demand of the University at the time of placing order.

12. All disputes shall be subject to Bhagalpur Jurisdiction only.

13. All tenders in which any of the prescribed conditions is not fulfilled or any condition is put forth by the tenderer shall be summarily rejected.

14. BAU Sabour reserves the right to cancel the tender at any point of time without assigning any reason.

15. The bidders or their authorized representatives may also be present during the opening of the Technical Bid, if they desire so, at their own expenses.

**Note:** Price bids of only those bidders will be opened whose technical bids are found suitable by the committee appointed for the purpose. Date and time of opening of price bids will be decided after technical bids have been evaluated by the committee. Information in this regard will be intimated to the technically qualified bidders. In exceptional situation, an authorized committee may negotiate price with the qualified bidder quoting the lowest price before awarding the contract.

**16. Tender Cost & Earnest Money Deposit (EMD):**

Bidder needs to submit the refundable EMD of Rs. 32000/- (Thirty Two thousand only) and a non-refundable Tender Fee of Rs. 500/- (five hundred Only) in the form of a DD (Demand Draft) issued in

favour of **Comptroller, Bihar Agricultural University, Sabour, Payable at Sabour**, from any Nationalized Bank, must be enclosed in the envelope containing the financial bid. None submission of EMD will cause the rejection of the tender. All the bidders are required to enclose self-addressed **Rs. 35.00** stamped envelope..

17. The bidders shall keep their bid valid for minimum 90 days from the date of opening of the financial bid.

18. Manual and documentation: All the manuals necessary for operating and servicing the equipment (including details of electronic circuits) will have to be provided along with the instrument.

19. Bidders should go through the tender terms, conditions and specifications carefully and fill in the attached compliance statement accurately and unambiguously. They should ensure that all the required documents are furnished along with the bid.

Sd.  
**Officer-in-Charge**  
**Central Store (HQ)**  
**Bihar Agricultural University,**  
**Sabour, Bhagalpur- 813 210**

## EQUIPMENT DETAILS

| S.<br>N<br>o | Item   | Qty | Specification in detail  |
|--------------|--|-----|--|
| 1.           | SITC of Laser Projector with WUXGA(with 3 years minimum warranty)                                | 1   | <p>3LCD Laser Projector 7000 lumens Native WUXGA (1920 x 1200) resolution<br/>           LCD Panels 0.95" x 3 BrightEra LCD Panel<br/>           Contrast Ratio : 8000:1<br/>           Light Source : Laser Diode<br/>           Connectivity :LAN, HDMI, DVI, VGA, 5BNC ,RS 232Port<br/>           Bright : Long Lasting Optics Laser Light Source and 3LCD Optical System<br/>           20,000h Maintenance-free Instant ON/OFF<br/>           Tilt Angle Free Compatibility with existing lenses<br/>           Up to Vertical +/-113%, Horizontal +/-63% Lens Shift<br/>           Advanced Geometric Correction<br/>           Edge Blending Constant Brightness Mode</p>   |
| 2.           | Long Throw Lens for above mention  | 1   | <p>projector screen size covered 40" to 600"<br/>           Zoom ratio Vertical: Upward 113% to Downward 113%<br/>           Horizontal: Right 63% to Left 63% (WUXGA model) Vertical: Upward 96% to Downward 96% Horizontal: Right 64% to Left 64% (XGA model)</p>  |
| 3.           | SITC of Wireless Handheld microphone with Receiver & Transmitter (with 2 years minimum warranty) | 2   | <p><b>Receiver:</b><br/>           Carrier frequency range: 650 to 680 MHz, 835 to 861, 863 to 864MHz, 720 to 750 MHz, 500 to 530 MHz, 740 to 751 MHz, 570 to 600 MHz, 790 to 819 MHz, 600 to 605 &amp; 614 to 630 MHz, 806 to 809MHz, 600 to 630 MHz<br/>           Audio bandwidth: 35 to 20,000 Hz<br/>           Signal/noise ratio :120 dB(A)<br/>           THD: &lt;0.3% (at 1 kHz), Modulation : Wideband FM<br/>           Audio outputs: balanced XLR and unbalanced TS 1/4" jack</p> <p><b>Handheld Transmitter:</b><br/>           Carrier frequency range: 650 to 680 MHz, 835 to 861, 863 to 864MHz, 720 to 750 MHz, 500 to 530 MHz, 740 to 751 MHz, 570 to 600 MHz, 790 to 819 MHz, 600 to 605 &amp; 614 to 630 MHz, 806 to 809MHz, 600 to 630 MHz<br/>           Audio bandwidth : 35-20,000 Hz<br/>           THD : &lt;0.7% typical at rated deviation/1 kHz<br/>           Signal/noise ratio: &gt; 120 dB(A), Modulation : Wideband FM<br/>           Selectable channels : 1200<br/>           Max. channels for multichannel operation : &gt; 45 with presets<br/>           RF output power: 50 mW max. (ERP)<br/>           Battery life : 1.5 V AA size dry battery: 6 hours; 1.2 V NiMH, 2100 mAh AA size rechargeable battery: 8 hrs.<br/>           Microphone capsules cardioid</p> |
| 4.           | SITC of Wireless Lapel   | 1   | <p><b>Receiver:</b></p>  |

|                        |   |   |  |                   |                     |   |     |                              |   |                |   |         |                 |  |                       |     |  |  |                        |                        |   |
|------------------------|---|---|--|-------------------|---------------------|---|-----|------------------------------|---|----------------|---|---------|-----------------|--|-----------------------|-----|--|--|------------------------|------------------------|---|
|                        | <p>microphone with Receiver &amp; Transmitter (with 2 years minimum warranty)</p> |   | <p>Carrier frequency range: 650 to 680 MHz, 835 to 861, 863 to 864MHz, 720 to 750 MHz, 500 to 530 MHz, 740 to 751 MHz, 570 to 600 MHz, 790 to 819 MHz, 600 to 605 &amp; 614 to 630 MHz, 806 to 809MHz, 600 to 630 MHz<br/>         Audio bandwidth: 35 to 20,000 Hz<br/>         Signal/noise ratio :120 dB(A)<br/>         THD: &lt;0.3% (at 1 kHz), Modulation : Wideband FM<br/>         Audio outputs: balanced XLR and unbalanced TS 1/4" jack<br/> <b>Body Pack Transmitter:</b><br/>         Carrier frequency range: 650 to 680 MHz, 835 to 861, 863 to 864MHz, 720 to 750 MHz, 500 to 530 MHz, 740 to 751 MHz, 570 to 600 MHz, 790 to 819 MHz, 600 to 605 &amp; 614 to 630 MHz, 806 to 809MHz, 600 to 630 MHz<br/>         Audio bandwidth : 35-20,000 Hz<br/>         THD : &lt;0.7% typical at rated deviation/1 kHz<br/>         Signal/noise ratio: &gt; 120 dB(A), Modulation : Wideband FM<br/>         Selectable channels : 1200<br/>         Max. channels for multichannel operation : &gt; 45 with presets<br/>         RF output power: 50 mW max. (ERP)<br/>         Battery life : 1.5 V AA size dry battery: 6 hours; 1.2 V NiMH, 2100 mAh AA size rechargeable battery: 8 hrs.<br/>         Lavlier Microphone:,Polar Patern: Cardioid</p>  |                   |                     |   |     |                              |   |                |   |         |                 |  |                       |     |  |  |                        |                        |   |
| 5.                     | <p>SITC of Boundary Layer Microphone (with 2 years minimum warranty)</p>          | 2   | <ul style="list-style-type: none"> <li>• Frequency Response : 50 to 18000 Hz</li> <li>• Output Impedance : up to <math>\geq 150\Omega</math></li> <li>• Programmable on/off switch and LED on/off indicator</li> <li>• Maximum SPL (1 kHz at 1% THD, 1 K<math>\Omega</math> load): <math>\geq 116</math> dB</li> <li>• Dynamic Range : <math>\geq 94</math>dB</li> <li>• Power Requirements : 11 to 52 Vde Phantom Power</li> <li>• Surface-mount microphone</li> <li>• Sensitivity (at 1 kHz, open circuit voltage)–27.5 dBV/Pa (42.2 mV)</li> <li>• Electret condenser type</li> <li>• External LED control allows for accurate depiction of the live status of the microphone             <ul style="list-style-type: none"> <li>• Three operating modes: touch-on/touch-off, press to talk, and press to mute</li> </ul> </li> </ul>   |                   |                     |   |     |                              |   |                |   |         |                 |  |                       |     |  |  |                        |                        |   |
| 6.                     | <p>SITC of analog audio mixer 20 channel (with 2 years minimum warranty)</p>      | 1   | <table border="0" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%; vertical-align: top;">Mixing capability</td> <td style="width: 30%; vertical-align: top;">On-board processors</td> <td style="width: 50%; vertical-align: top;">SPX algorithm: 24 programs, PARAMETER control:1, FOOT SW:1 (FX RTN CH on/off)</td> </tr> <tr> <td style="vertical-align: top;">I/O</td> <td style="vertical-align: top;">Phantom power<br/>Digital I/O</td> <td style="vertical-align: top;">+48 V<br/>USB Audio Class 2.0 compliant Sampling Frequency: Max 192 kHz, Bit Depth: 24-bit</td> </tr> <tr> <td style="vertical-align: top;">Input Channels</td> <td style="vertical-align: top;">Mono[MIC/LINE]<br/>Mono/Stereo[MIC/LINE]</td> <td style="vertical-align: top;">12<br/>4</td> </tr> <tr> <td style="vertical-align: top;">Output Channels</td> <td style="vertical-align: top;">STEREO OUT<br/>MONITOR OUT<br/>PHONES<br/>AUX SEND<br/>GROUP OUT</td> <td style="vertical-align: top;">2<br/>1<br/>1<br/>4<br/>4</td> </tr> <tr> <td style="vertical-align: top;">Bus</td> <td></td> <td style="vertical-align: top;">Stereo: 1, GROUP: 4, AUX: 4 (incl. FX)</td> </tr> <tr> <td style="vertical-align: top;">Input Channel Function</td> <td style="vertical-align: top;">PAD<br/>HPF<br/><br/>COMP</td> <td style="vertical-align: top;">26 dB (Mono)<br/>80 Hz, 12 dB/oct (Mono/Stereo: MIC only)<br/>1-knob compressor</td> </tr> </table> | Mixing capability | On-board processors | SPX algorithm: 24 programs, PARAMETER control:1, FOOT SW:1 (FX RTN CH on/off) | I/O | Phantom power<br>Digital I/O | +48 V<br>USB Audio Class 2.0 compliant Sampling Frequency: Max 192 kHz, Bit Depth: 24-bit | Input Channels | Mono[MIC/LINE]<br>Mono/Stereo[MIC/LINE] | 12<br>4 | Output Channels | STEREO OUT<br>MONITOR OUT<br>PHONES<br>AUX SEND<br>GROUP OUT | 2<br>1<br>1<br>4<br>4 | Bus |  | Stereo: 1, GROUP: 4, AUX: 4 (incl. FX) | Input Channel Function | PAD<br>HPF<br><br>COMP | 26 dB (Mono)<br>80 Hz, 12 dB/oct (Mono/Stereo: MIC only)<br>1-knob compressor |
| Mixing capability      | On-board processors   | SPX algorithm: 24 programs, PARAMETER control:1, FOOT SW:1 (FX RTN CH on/off)             |  |                   |                     |   |     |                              |   |                |   |         |                 |  |                       |     |  |  |                        |                        |   |
| I/O                    | Phantom power<br>Digital I/O  | +48 V<br>USB Audio Class 2.0 compliant Sampling Frequency: Max 192 kHz, Bit Depth: 24-bit |  |                   |                     |   |     |                              |   |                |   |         |                 |  |                       |     |  |  |                        |                        |   |
| Input Channels         | Mono[MIC/LINE]<br>Mono/Stereo[MIC/LINE]   | 12<br>4   |  |                   |                     |   |     |                              |   |                |   |         |                 |  |                       |     |  |  |                        |                        |   |
| Output Channels        | STEREO OUT<br>MONITOR OUT<br>PHONES<br>AUX SEND<br>GROUP OUT                      | 2<br>1<br>1<br>4<br>4   |  |                   |                     |   |     |                              |   |                |   |         |                 |  |                       |     |  |  |                        |                        |   |
| Bus                    |   | Stereo: 1, GROUP: 4, AUX: 4 (incl. FX)  |  |                   |                     |   |     |                              |   |                |   |         |                 |  |                       |     |  |  |                        |                        |   |
| Input Channel Function | PAD<br>HPF<br><br>COMP  | 26 dB (Mono)<br>80 Hz, 12 dB/oct (Mono/Stereo: MIC only)<br>1-knob compressor             |  |                   |                     |   |     |                              |   |                |   |         |                 |  |                       |     |  |  |                        |                        |   |

|     |   |          |  |
|-----|---|----------|--|
|     |   |          | <p>(Gain/Threshold/Ratio)<br/> Threshold: +22 dBu to -8 dBu, Ratio: 1:1 to 4:1,<br/> Output level: 0 dB to 7 dB<br/> Attack time: approx. 25 msec, Release time: approx. 300 msec<br/> EQ HIGH<br/> Gain: +15 dB/-15 dB,<br/> Frequency: 10 kHz shelving<br/> EQ MID<br/> Gain: +15 dB/-15 dB,<br/> Frequency: Mono 250 Hz – 5 kHz peaking, Stereo 2.5 kHz peaking<br/> EQ LOW<br/> Gain: +15 dB/-15 dB,<br/> Frequency: 100 Hz shelving<br/> PEAK LED<br/> LED turns on when post EQ signal reaches 3 dB below clipping<br/> Level Meter<br/> 2x12 -segment LED meter<br/> [PEAK, +10, +6, +3, 0, -3, -6, -10, -15, -20, -25, -30 dB]</p>   |
| 7.  | SITC of HDMI Switcher 4 IN 4 OUT                | 1        | HDMI Switcher” lets you connect multiple HDMI inputs to receive more digital content with better picture quality on Projector & LCD’s. The unique auto-adaptive equalizers enable the use of longer cables for Projector or LCD’s connection anywhere in the auditorium. provides commercial grade output with several control options for switching. The unit is controlled through a front panel source selection switches with provision for RS232C & contact closure. It can also be controlled through IR remote Control, RF remote control or also through remote IP address. The unit also senses The resolution that the splitter supports are 720i, 720P, 1080i, & 1080P. |
| 8.  | SITC of RGB TO HDMI Converterwithaudioembedding | 1        | Converts analog RGBHV to HDMI A Analog stereo audio embedding , Accepts computer video from 640x480 up to 1080p/60, as well as 1920x1200/60, with reduced blanking A EDID Minder automatically manages EDID communication between connected devices A USB port for product configuration A Front panel LED provides power and signal status A Low profile form factor .  |
| 9.  | HDMI patch Cable                                | 3        | low bend radius HDMI cables<br>1080p/60 verified<br>Length : 20m<br>36 AWG copper wire construction  |
| 10. | HDMI patch Cable                                | 3        | low bend radius HDMI cables<br>1080p/60 verified<br>Length : 1.5m<br>36 AWG copper wire construction   |
| 11. | Microphone Wire                                 | 125 mtr. | <ul style="list-style-type: none"> <li>• 2 core shielded microphone cable of high quality with minimum data loss</li> <li>• 0.4mm, AWG-20, ruggedness, flexibility, flex life and interference immunity.</li> <li>• Low impedance</li> <li>• Operating Temperature Range:-30°C To +60°C</li> <li>• Overall Nominal Diameter:5mm</li> </ul>   |



## TENDER FORM

To,

1. The Comptroller  
Bihar Agricultural University  
Sabour, Bhagalpur (Bihar), Pin-813210
2. Officer-in-charge  
Central Store,  
Bihar Agricultural University  
Sabour, Bhagalpur (Bihar), Pin-813210

**Subject: Tender Enquiry No.: 23 CS (HQ). /BAU, Sabour dated: 11/03/2017**

**Sir,**

I have gone through the terms and conditions laid down in the tender documents and accept the same.  
I am here by submitting the technical bid and enclosing the documents as per details given below:

### CHECK LIST

- | <i>S.No.</i> | <i>Name of documents</i>  |
|--------------|---|
| 1.           | Cost of Tender documents (It downloaded the tender ..... (Document) from University website within NIT schedule)<br><br>(DD No/Pay Order _____ date _____ Issuing Bank _____ for Rs. 500.00 (Enclosed along with the technical bid) |
| 2.           | Details of EMD-TDR/FDR No. _____ date of issue _____<br>Name & address of Bank issuing TDR/FDR _____<br><br>_____ amounting to Rs. _____. This EMD is being<br>(along with the technical bid)                                       |
| 3.           | List of procurement agencies of repute to whom the tendered ..... products have been supplied during last twelve month with proof.  |
| 4.           | Authorized dealership/agency/distributor certificate issued by original manufacturer of the equipment/item  |
| 5.           | for preceding two years to show financial status of the tenderer.   |
| 6.           | Attested copies of CST/VAT registration .....   |
| 7.           | Attested copies to PAN (Permanent Account Number) .....   |
| 8.           | Tender Documents duly signed on all pages .....   |

Certified that each and every page of the tender documents are serially numbered and signed by me.

Yours faithfully,

Nature and Name of the authorized Signatory with seal  
Designation  
Name of the company (Tenderer)

**DETAILS ABOUT TENDERER**

**(General & Financial)**

1 (a) Name of the Tenderer : .....

(b) Status of the Tenderer: .....

(i) Manufacturer/Importer: .....

(ii) Proprietorship/ : .....

Partnership/Company

Full Postal Address : .....

.....

.....

3. Telephone No. : .....

4. Mobile No. : .....

5. Fax No. : .....

6. E-mail Address : .....

**7. Name of the persons who are responsible for conduct of business**

| <b>S. No.</b> | <b>Name</b> | <b>Father's/Husband's Name</b> | <b>Age</b> | <b>Residential Address</b> |
|---------------|-------------|--------------------------------|------------|----------------------------|
|               |             |                                |            |                            |

8. (a) Names of procurement agencies with whom : .....  
the tenderer is registered .

(b) Names of procurement agencies to whom : .....  
Items have been supplied during last 12 months: .....  
(Copies of supply order not to be enclosed)

**DETAILS ON FINANCIAL ASPECTS**

**9. Furnish the following information with documents:-**

**Income Tax PAN**

.....

**Central Sales Tax Registration**

.....

**VAT Registration No.**

.....

**Service Tax Registration No.**

.....

**10. Name and address of the Billing Agency/Distributor/Dealer, if any**

BAU SABOUR

**FORMAT OF PRICE BIDS**

| S.N. | Tender items sl. No. | Name of the items & Brand | MRP | Offered Rate per unit/each | Tax | Total offered tax (e + f) | Rate with |
|------|----------------------|---------------------------|-----|----------------------------|-----|---------------------------|-----------|
|      |                      |                           |     |                            |     |                           |           |

**Please Note: -**

- 1. Price bids should be typed in the prescribed format only. Photo copy/Xerox Copy/ Duplicate Copy would not be accepted in any condition.**
- 2. Authorized dealership/agency/distributor certificate issued by original manufacturer of the equipment/item should be enclosed**
- 3. Rate of CMC/AMC should be quoted by the vender in a separate format (if applicable).**

4.

**DECLARATION**


I \_\_\_\_\_ Prop/Partner/ Director of  
M/s \_\_\_\_\_ hereby declare that the information given in this  
Tender is true and correct to the best of my knowledge and belief.

**Signature and Name of the  
Authorized Signatory**

**Designation**

**Date**

**Place**



**Warning: Subsequently, if information furnished in this tender found incorrect, tenderer is liable to  
be penalized including the Blacklisting.**

## SPECIAL TERMS AND CONDITIONS FOR TENDERERS

The following terms and conditions should be complied with during submitting tender:-

1. Sealed Quotation/Tenders are invited in two bid systems.
2. Tenders should be submitted to the O/I Central Store, Bihar Agricultural University, Sabour, Bhagalpur, Bihar, Pin- 813 210 under the sealed cover.
3. The tenderer should quote typed rates in figures as well as in words. The tender should be signed by the tenderer himself/themselves or their authorized agent on his/her/their behalf. In case the tender is signed by the agent the authority letter in favour shall be enclosed with tender documents. Hand written price bid will not be considered.
4. The tenderers should take care that the rate and amount are written in such a way that interpolation is not possible. No blank space should be left, which would otherwise make the tender liable for rejection.
5. VAT Registration Clearance Certificate duly attested copy of a Gazetted Officer should also be enclosed.
6. Delivery schedule with definite date of delivery at destination (BAU, Sabour) taking into cognizance of transit facility must be indicated. This contractual delivery date/ period should be inclusive of all the lead time.
7. The tenderer submitting his tender would be deemed to be considered and accepted all the terms and conditions. No enquiries, verbal or written shall be entertained in respect of acceptance or rejection of the tender.
8. The quantity shown in the schedule may be increased or decreased depending upon the actual requirement.
9. This University reserves the right to cancel/ reject in or any part of the tender, which generally do not fulfil the condition stipulated in the tender without assigning any reason.
10. Any action on the part of tenderer to influence anybody of the University will make his/ their tender liable for rejection.
11. The tenderers shall submit the offer in original copy of the tender documents duly signed on each page. Item wise rate indicating units can be offered on letter head of the firm, in case, space printed on financial form is not sufficient.
12. In case of placement of purchase order, the vendor (the tenderer whose tender is accepted) may comment on the purchase order within 10 days from the date of dispatch of purchase order otherwise it will be deemed that offer is acceptable to the vendor. Notwithstanding any other provision, the terms and conditions and any other provision included, in the purchase order will be treated as binding with "Errors & Omissions Expected". However, if the vendor notices of the order, he must bring the same in to the notice of tender/ quotation and seek clarifications within the above stipulated time. Vendor will have to bear the responsibility for failure to take this action.
13. In University may in writing make any revision or change in the purchase order, including additions or deletions from the quantities originally ordered or in the specifications or drawing. If any such revisions/ changes affect the price or delivery, the same shall be subject to the adjustment of price/

delivery, wherever required on a reasonable basis by mutual agreement in writing which should be communicated.

14. The University reserves the right to cancel the purchase order or any part thereof shall be entitled to revise the contract wholly or in a part by written notice the vendor if:-
  - (a) The vendor fails to comply with the terms and conditions of the purchase order including specifications and other technical requirement.
  - (b) The vendor becomes bankrupt or goes into liquidation.
  - (c) The vendor fails to deliver the goods in time and or does not replace the rejected goods promptly.
  - (d) A receiver is appointed for any of the property owned by the vendor.
15. Upon the receipt of the said cancellation notice, the University shall discontinue all works of the purchase order and matters connected with it.
16. Supply order will be issued as per the requirement of the University. The supplier will have to supply ordered materials within the delivery time mentioned in the supply order.
17. Unless otherwise specified in the order, the order price shall remain firm and will not be subject to escalation of any description during the dependency of the order, notwithstanding the change in the cost of material and components he/they may take clearance while the order is under execution even if the execution of the order for any reason whatsoever.
18. The offer of the tenderers shall remain valid for a period of one year from the date of opening of bid.
19. The University may its option, reject such defective materials at the vendor's expense in which event the vendor shall, without any cost to the University and as promptly as possible, remove such materials and furnish and install proper and acceptable material.
20. In the event of delay delivery and/or unsatisfactory manufacturing progress and supply, the University has the right to cancel the purchase order as whole or in part without liability for cancellation charges.
21. Timely delivery as mentioned in purchase order shall be in the essence of the order and no variation shall be permitted except with prior authorization in writing from the University.
22. In the event of delay in making delivery on the part of the vendor, it will be at University discretion to receive delivery with a reduction in price of the article/or equipment.
23. Forced measure shall mean and be limited to the following: -
  - (a) Any war/hostilities
  - (b) Any riot or civil communication
  - (c) Any earthquake, flood, tempest, lighting or other natural physical disaster.
  - (d) Any strike or lock up (Only those exceeding ten continuous days duration) affecting the performance of the vendor's obligation.

The seller shall advise the University by Registered Letter duly certified by local chamber of commerce of statutory authorities the beginning and end of the above caused of delay within 7 days of occurrence and cessation of such forced measure concern. In the event of delay lasting over one month, if arising our caused of force measure, the University reserves the right to cancel the order.

24. No payment shall be made for rejected materials not the tenderer would be entitled to claim for such items.

25. Rejected materials would be removed by the tenderer from the site within two weeks or the date of rejection at their own cost. In case they are not removed they will be auctioned at the risk and responsibility of the suppliers without any further notice.
26. In case of not honoring the supply order, the University will have the right to impose penalty as deemed fit and to resort to make purchase at the suppliers cost and risk and his security deposit may be forfeited in favour of the University cost and risk.
27. Taxes & Levies-Rates of Inclusive of All Taxes. There is no extra payment will be made by the BAU Sabour in this regard. There are no any Forms for tax exemption will be issued by the BAU. Nevertheless, if Road permit/ Suvidha no. is availed by the firm, Entry Tax will be deducted by the BAU from your bill.
28. In the case of non-supply order stores within stipulated time, it will be at the discretion of the University to accept delivery with late delivery clause @ 1% per week maximum to the extent of 10 % of the ordered value for delayed supply.
29. Tenderer hereby agree to all terms and conditions stipulated in tender and undertakes to sign the rate contract or supply order within the given days from the date of order failing which security shall be liable to be forfeited.
30. Disputes, if any, arising between the University and the bidder out of or in connection with the terms and conditions contained herein shall be referred for arbitration to the Bhagalpur jurisdiction. Disputes shall be decided keeping in view of the terms and conditions of the tender and Bihar financial rules applicable to the University.
31. Warranty 3 years from the date of installation will be provided.
32. PBG-The vendor shall furnish unconditional Performance Bank Guarantee issued by the nationalized bank in the shape of TDR/FDR in favour of Comptroller, BAU, Sabour @10% of the order value valid for 3years and 2 months from the date of installation & commissioning.